

Pré-Inscription / Installation

```
# cd  
/opt/Apple/Local/Library/WebObjects/Applications  
# tarzxvf PreInscription-Application.tar.gz  
# cd /var/www/WebObjects  
# tarzxvf PreInscription-  
WebServerResources.tar.gz
```

Pré-Inscription / Installation

Configuration

```
gedit /opt/Apple/Local/Library/WebObjects/Applications/PreInscription.woa/Contents/Resources/PreInscription.config
```

modifier

```
SAUT_URL=http://192.168.10.196/cgi-bin/WebObjects/Servaut.woa/wa/
```

```
#SAUT_ID_TRANSLATION=GRHUM:GRHUMT,SCOL:SCOLT,LMD:LMDT
```

```
SAUT_ID_TRANSLATION=GRHUM:GRHUM,SCOL:GARNUCHE,LMD:SCOLARITE
```

```
APP_USE_CAS=NO
```

```
APP_URL_RDV=http://192.168.10.196
```

```
APP_USE_MAIL=YES
```

```
HOST_MAIL=192.168.10.196
```

```
ADMIN_MAIL=admin@auf.org
```

```
DOMAIN_NAME=192.168.10.196
```

```
MAIN_LOGO_URL=http://192.168.10.196/auf.gif
```

Pré-Inscription / Installation

Modification des droits sur le fichier PreInscription
`chmod 755 /opt/Apple/Local/Library/WebObjects/Applications/PreInscription.woa/PreInscription`

Ajouter l'application PreInscription dans le moniteur (voir annexe 2)